

[Sign in](#)

Google [Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Search](#)  
[Preferences](#)

Try uppercase "OR" to search for either of two terms. [\[details\]](#)

**Web**

Results 1 - 10 of about 1,010,000 for **access control) (comparing or matching) (user activities) stored**. (0.34 seconds)

[Title Index](#)

2 (DSS 2) — **User-network interface (UNI)** — Layer 3 specification for basic call/connection **control** · Broadband Integrated Services Digital Network (B-ISDN) ...  
dret.net/biblio/titles - 977k - [Cached](#) - [Similar pages](#)

[QuizSite Instructor Documentation - Oncourse Comparison](#)

**Yes (activity settings: start and end times), Yes (access control settings: deny access before ... IU Network ID (any user can create an instructor account) ...**  
www.indiana.edu/~best/quizsite/oncourse.html - 13k - [Cached](#) - [Similar pages](#)

[Access control policy](#)

**Access control policies grant users access** to your site. ... to add **users** to an **access group** based on the type of **activities** they perform in the site. ...  
publib.boulder.ibm.com/infocenter/wchelp/v5r6m1/  
topic/com.ibm.commerce.admin.doc/concepts/caxaccesspolicy.htm - 27k -  
[Cached](#) - [Similar pages](#)

[Examination Returns Control System](#)

If a **match** is not found the **user** is denied **access** to the programs. ... Examination return information is **stored** on the system to allow ERCS to be used for ...  
www.irs.gov/privacy/article/0,,id=130964,00.html - 35k - [Cached](#) - [Similar pages](#)

[ESE Magazine - Implementing Networked Biometrics](#)

The main goal of any biometric **Access Control** system is to keep unauthorised ... a central location for alarm conditions and door **activities** to be **stored**. ...  
www.esemagazine.com/index.php?option=com\_content&task=view&id=209&Itemid=2  
- 36k - [Cached](#) - [Similar pages](#)

[BIOMETRICS – TECHNOLOGIES FOR HIGHLY SECURE PERSONAL AUTHENTICATION ...](#)

Biometric authentication requires **comparing** a registered or enrolled biometric ... issues such as confidentiality, integrity, and **access control** exist. ...  
csrc.nist.gov/publications/nistbul/tit05-2001.txt - 35k - [Cached](#) - [Similar pages](#)

[Netscape Directory Server Administrator's Guide:](#)

**Access control** does not apply to the directory manager. ... When information that does not **match** the schema is **stored** in the directory, clients attempting ...  
www.redhat.com/docs/manuals/dir-server/ag/6.2/glossary.htm - 53k -  
[Cached](#) - [Similar pages](#)

[\[PDF\] Biometric Authentication Technology: From the Movies to Your ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
Capture. Process. **Store**. **Compare**. No **Match**. **Match**. Uses for Biometrics ... found in physical **access control** in commercial and residential applications, ...  
www.itl.nist.gov/div893/biometrics/Biometricsfromthemovies.pdf - [Similar pages](#)

[GTLA | Finalists](#)

TDKM will allow training developers **access** to the information objects contained ... what the **user** needs through configuration **matching** and **user/activity** ...  
www2.govexec.com/GTLA/FinalistDetail.cfm?ItemNumber=1079 - 20k -  
[Cached](#) - [Similar pages](#)

[Securing an IBM Lotus Domino Web Server: A case study](#)

**Compare** Notes Public Key against those **stored** in directory ... **Activity** Logging records **user activity** by person, database, and **access** protocol. ...  
www.ibm.com/developerworks/lotus/library/dominowebserver-study/index.html?  
ca=drs- - 64k - [Cached](#) - [Similar pages](#)

Result Page:    1   2   3   4   5   6   7   8   9   10    **Next**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	133049	"340"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/10 10:13
L4	104	"340"/\$.ccls. and transmit\$4 near3 breach	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/10 10:18
L6	0	"340"/\$.ccls. and transmit\$4 near3 breach and ((door or building) near3 (authenticat\$4 or verificat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/10 10:19
L8	1038	((door or building) near3 (authenticat\$4 or verificat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/10 10:19
L9	3	((door or building) near3 (authenticat\$4 or verificat\$4)) and ((send\$4 or transmit\$4 or notfy\$4 or signal\$4 or alarm\$4) near4 breach\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/10 10:21
S2	40	("smart card" with "access control") and ("smart card" with (biometric or fingerprint))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 10:10
S3	11	((("smart card" with "access control") and ("smart card" with (biometric or fingerprint)))) and @ad < "20010429"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 10:51
S4	5	((("smart card" with "access control") and ("smart card" with (biometric or fingerprint)))) and @ad < "20010429" and ("smart card" with password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 10:48
S5	1	((("smart card" with "access control") and ("smart card" with (biometric or fingerprint)))) and @ad < "20010429" and ("smart card" with password)) and register\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 10:50

## EAST Search History

S6	0	((("smart card" with "access control") and ("smart card" with (biometric or fingerprint))) and @ad < "20010429") and ("smart card" with password)) and registr\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 10:50
S7	1	((("smart card" with "access control") and ("smart card" with (biometric or fingerprint))) and registr\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 10:51
S10	290	(713/201.ccls. and @ad < "20010429") and (user or consumer) with (registr\$4 or register\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 11:26
S11	37	((713/201.ccls. and @ad < "20010429") and (user or consumer) with (registr\$4 or register\$3)) and ("smart card")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 10:53
S12	13	(713/201.ccls. and @ad < "20010429") and ("new user" or "new consumer") with (registr\$4 or register\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 13:07
S14	220	(report\$3 near6 generat\$3) and 713/201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 13:09
S15	88	((report\$3 near6 generat\$3) and 713/201.ccls.) and @ad < "20000501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 13:10
S16	25	((report\$3 near6 generat\$3) and 713/201.ccls.) and @ad < "20000501") and ("boot up" or "start up" or "power on")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 16:15
S18	237	((classified or division or pattern) with "access") and 713/201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 16:16
S19	125	((classified or division or pattern) with "access") and 713/201.ccls.) and @ad < "20010429"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/13 16:17

## EAST Search History

S20	633	(certificate revocation list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 11:55
S21	306	("certificate revocation list" or "revocation list" or CRL) same (updat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 11:56
S22	7	("certificate revocation list" or "revocation list" or CRL) same (updat\$4 near3 data\$1base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 12:23
S23	51	("certificate revocation list" or "revocation list" or CRL) and (updat\$4 near3 data\$1base) and (access near2 control\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 12:24
S25	1	(gate or door) same (access near2 control\$4) same ("certificate revocation list" or "revocation list" or CRL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 12:26
S26	0	(building) same (access near2 control\$4) same ("certificate revocation list" or "revocation list" or CRL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 12:26
S27	5	(building) same (access near2 control\$4) and ("certificate revocation list" or "revocation list" or CRL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 12:29
S28	56	(building) same (authentikat\$4 or verification) and ("certificate revocation list" or "revocation list" or CRL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 12:38
S30	76	(building security) same card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 12:39
S31	1	(building security) same card and (CRL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 12:39

## EAST Search History

S32	76	(building security) same card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 13:04
S33	0	(building security) same cri	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 12:42
S34	2	(building security) and cri	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 12:45
S35	2	(building security) and (certificate revocation list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 12:46
S36	0	(building near2 security) same ((revocation list) or(certificate revocation list) or cri)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 13:04
S37	4	(building near2 security) and ((revocation list) or(certificate revocation list) or cri)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 13:17
S38	4	(building near2 security) and ((revocation list) or(certificate revocation list) or (revok\$4 near2 list) or cri)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 13:18
S39	81	(building near2 security) and (updat\$4 near5 (data\$1base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 13:37
S40	1	"09523670"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 13:38
S41	2	"6720861".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/27 13:38

## EAST Search History

S42	5	(smart card) same (security check point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 08:02
S44	1	(smart card) same (door or gate) same (status near4 chang\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 08:04
S45	4	(smart card) same (door or gate) same (monitor\$4 near5 activit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 08:06
S46	2	(smart card) same (door or gate) and (monitor\$4 near5 user near5 activit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 09:03
S47	4	(badge) same (door or gate) and (monitor\$4 near5 user near5 activit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 09:20
S48	2	(badge) same (door or gate) and (detect\$4 near5 user near5 (event or activit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 09:21
S49	2	(badge) same (door or gate) and (detect\$4 near5 (client or individual) near5 (event or activit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 09:23
S50	2	(smart card) same (door or gate) and (detect\$4 near5 (client or individual) near5 (event or activit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 10:28
S51	57	(smart card) same (door or gate) and ((password or biometric) near5 authentication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 13:45
S52	1	integrat\$5 near9 (physical security) near9 (information security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 13:47

## EAST Search History

S53	0	associat\$5 near9 (physical security) near9 (information security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 14:10
S54	0	associat\$5 near9 (physical security) near9 (Information technology)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 14:10
S55	0	associat\$5 near9 (physical security) near9 (IT asset protection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 14:11
S56	0	associat\$5 near9 (physical security) near9 ((IT asset) near (protect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 14:17
S57	0	associat\$5 near9 (physical security) near9 ((IT security))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 14:17
S58	0	integrat\$4 near9 (physical security) near9 ((IT security))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 14:18
S59	3	(physical security) near9 ((IT security))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 14:19
S60	4	(physical security) same ((IT security))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 14:27
S61	27	(physical) same (IT near5 security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 14:27
S62	4	(physical) same (IT near5 security) same integrat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 14:29

## EAST Search History

S63	5	((physical) same (((information technology) or (IT)) near5 security) same integrat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 15:29
S64	0	((smart card) same (door or gate or building or room) same deny\$4 same log\$1on)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 15:30
S65	0	((smart card) same (door or gate or building or room) same deny\$4 same log\$1in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 15:30
S66	23	((smart card) same (door or gate or building or room) same deny\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 15:32
S67	0	((smart card) same (door or gate or building or room) same deny\$4 same file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 15:32
S68	1	((smart card) same (door or gate or building or room) same deny\$4 same database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 15:34
S69	5	((smart card) or badge or (remote control)) same (door or gate or building or room) same deny\$4 same (application or file or database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/29 15:35
S70	138031	((status near2 (chang\$4 or activit\$5)) or ((monitor\$4 or detect\$4) near2 (status or activit\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/20 17:44
S71	40	((status near2 (chang\$4 or activit\$5)) or ((monitor\$4 or detect\$4) near2 (status or activit\$5))) same (deny\$4 near2 access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/21 07:44
S72	1	(valid near2 entry) near9 (allow\$4 near2 access\$3 near2 data\$1base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/21 07:47



## EAST Search History

S76	0	(valid near2 entry) near9 (allow\$4 near2 access\$3 near2 computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/21 07:48
S77	0	(valid near2 entry) near9 (allow\$4 near2 access\$3 near2 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/21 07:49
S78	3	(valid near2 entry) same (allow\$4 near2 access\$3 near2 (data\$1base or computer or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/21 07:50
S79	0	(valid near2 (door or building) near (access or entry)) same (allow\$4 near2 access\$3 near2 (data\$1base or computer or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/21 07:51
S80	0	(valid near2 (door or building) near (access or entry)) same (allow\$4 near3 further near2 access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/21 07:54
S81	9	(valid near2 (door or building) near (access or entry))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/21 07:52
S82	0	(valid near2 (door or building or gate or room) near (access or entry)) same (allow\$4 near3 further near2 access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/21 07:58
S85	0	(us\$4 pattern) near3 (compar\$5 or match\$4) same (access\$4 near3 control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/21 08:01
S86	229	(us\$4 pattern) near3 (compar\$5 or match\$4) and (access\$4 near3 control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/21 08:21
S88	0	((user or consumer or employee) near7 (activit\$5 (list or table or file))) near3 (compar\$5 or match\$4) and (access\$4 near3 control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/21 08:23

## EAST Search History

S89	1	((user or consumer or employee) near7 (activit\$5 (list or table or file))) same (compar\$5 or match\$4) and (access\$4 near3 control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/21 08:26
S90	300	(monitor\$4 or detect\$4) near5 (user or consumer or employee) near5 (activit\$4 or movement or status) near5 access\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/21 08:28
S91	24	(monitor\$4 or detect\$4) near5 (user or consumer or employee) near5 (activit\$4 or movement or status) near5 (access\$ near3 control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/21 08:29
S92	2	"6434594".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 09:39
S93	224	(compar\$4 or match\$4) near4 (user (activities or usage or pattern))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/05 15:36
S94	2	"5349662".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/05 15:47
S95	2	"5465084".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/05 15:47